


# SAFETY DATA SHEET HUMA GRO Max Pak



HMIS		
HEALTH	2	
FLAMMABILITY	0	
PHYSICAL HAZARD	0	
PPE	В	

SECTION 1: CHEMICAL PRODUCT & COMPANY IDENTIFICATION				
PRODUCT	HUMA GRO Max Pak	Product# 292		
GENERAL USE:	Used as a part of a plant nutrition program.			
PRODUCT DESCRIPTION:	A clear to slightly hazy, bluish liquid having a sweet citrus type odor.			
SUPPLIER INFORMATION:	Bio Huma Netic, Inc. 1331 W Houston Avenue	EMERGENCY PHONE NUMBERS		
For Additional SDS call:	Gilbert, AZ 85233  PHONE: (480) 961-1220	CHEMTREC: (In the USA) 800-424-9300 (International) 703-527-3887		

## **SECTION 2: HAZARDS IDENTIFICATION**

HAZARDS OVERVIEW: A clear to slightly hazy, bluish, acidic liquid having a sweet citrus type odor. The liquid and mists may cause irritation to the eyes, skin and respiratory tract. This product can be toxic by ingestion or inhalation of high mist concentrations.

The NIOSH I.D.L.H. for Manganese compounds is: 500 mg/m³ (as Mn).

CLASSIFICATION: HAZARD CATEGORY 5 - MAY BE HARMFUL IF SWALLOWED

**SIGNAL WORD: WARNING** 

HAZARD STATEMENT: H303 - WARNING - may be harmful if swallowed

PRECAUTIONARY STATEMENT: P312; Call a poison center/doctor/physician if you feel unwell

**CLASSIFICATION: HAZARD CATEGORY 3 - MILD SKIN IRRITATION** 

**SIGNAL WORD: WARNING** 

HAZARD STATEMENT: H316 - WARNING - causes mild skin irritation

PRECAUTIONARY STATEMENT: P332+P313: If skin irritation occurs; Get medical attention/advice.

SECTION 3: COMPOSITION & INFORMATION ON INGREDIENTS								
				ACGIH		OSHA	OSHA	
COMPONENT	CAS#	OSHA HAZARD	<u>WT %</u>	$TLV_{(TWA)}$	STEL	$PEL_{(TWA)}$	STEL	
Proprietary Organic Acid	Trade Secret	Severe Eye Irritant; Moderate to Severe Skin & Respiratory Irritant;	9 ± 1	None	None	None	None	
Zinc Sulfate	7733-02-0	Eye, Skin & Respiratory Irritant; Cardiovascular, ; Blood & Central Nervous System toxin	6 ± 1	None	None	None	None	
Manganese Sulfate	7785-87-7	Eye, Skin & Respiratory Irritant; Central Nervous System toxin; Moderately toxic by Ingestion	3 ± 1	0.2 mg/m <sup>3</sup> Proposed: 0.02 mg/m <sup>3</sup> Respirable fraction	None	Ceiling 5 mg/m³	None	
Ferrous Sulfate	007720-78-7	Eye Corrosive; Skin, & Respiratory Irritant; Moderately Toxic by Ingestion	3 ± 1	1 mg/m³ (as Fe)	None	None	None	
Copper Sulfate *	7758-98-7	Eye, Skin & Respiratory Irritant; Blood, Liver & Kidney toxin	2.5 ± 1	1 mg/m³ (Dusts & Mists as Cu)	None	None	None	
				NDA = No Data A	Available	N/A = Not Applicable	•	

**SECTION 4: FIRST AID MEASURES** 

If inhaled, immediately move to fresh air. If not breathing, give artificial respiration, preferably mouth-to-mouth. If INHALATION:

breathing is difficult, give oxygen. Call a physician.

In case of contact, immediately flush eyes with plenty of clean running water for at least 15 minutes, lifting the upper **EYE CONTACT:** 

and lower lids occasionally. Remove contact lenses, if worn. Get medical attention if irritation persists.

In case of contact, flush skin with plenty of clean running water. Remove contaminated clothing and shoes and wash SKIN CONTACT:

before reuse. If irritation occurs and persists, get medical attention.

If swallowed, get medical attention immediately. DO NOT induce vomiting unless directed to do so by medical INGESTION:

personnel. Never give anything by mouth to an unconscious person.

**NOTE TO** PHYSICIANS: Based on component information, this product may be slightly to moderately toxic by ingestion. If a large amount is ingested, consideration should be given to careful endoscopy as stomach or esophageal irritation may occur, with

possible central nervous system effects following absorption into the blood stream. Careful gastric lavage with an

endotracheal tube in place should be considered. Treat exposure symptomatically.

**SECTION 5: FIRE FIGHTING MEASURES** 

Flashpoint and Method: This product does not flash.

Flammable Limits (in air, % by volume) Lower: Not applicable Upper: Not applicable

**Autoignition Temperature:** Not Determined

**GENERAL HAZARD:** This product is an aqueous solution of inorganic salts, an organic acid, and other organic and inorganic plant

nutrients, that are in an acidic solution. The Uniform Fire Code health hazard classification for this product is:

Irritant. This product may produce hazardous mists or hazardous decomposition products.

FIRE FIGHTING INSTRUCTIONS: **EXTINGUISHING MEDIA:** Water, foam, CO<sub>2</sub> or dry chemicals.

Use a water spray or fog to cool the containers exposed to the heat of a fire.

FIRE FIGHTING EQUIPMENT: Fire fighters should wear full protective equipment, including self-contained breathing

apparatus.

**HAZARDOUS COMBUSTION PRODUCTS:** When heated to dryness and decomposition, it emits toxic carbon monoxide, carbon

dioxide, zinc, manganese, iron and copper oxides, with trace or ultra-trace toxic oxide amounts, of potassium, phosphorus, nitrogen, sulfur, magnesium, calcium, boron, cobalt

and sodium plus irritating smoke.

**SECTION 6: ACCIDENTAL RELEASE MEASURES** 

**RELEASE TO** 

Wearing recommended protective equipment and clothing, dike the spill and pick up the bulk of liquid using pumps or LAND: a vacuum truck, or absorb the liquid in sand or a commercial absorbent. Place in approved containers for recovery,

disposal, or satellite accumulation. Neutralize the acidity, of the remaining liquid, using soda ash, lime, or other agent appropriate for neutralizing acidic liquids. Flush the spill area with water; collect the rinsates for disposal or sewer, as

appropriate.

**RELEASE TO** 

Wear recommended protective equipment and clothing if contact with hazardous material can occur. Stop or divert WATER:

water flow. Dike contaminated water and remove for disposal and/or treatment. As appropriate, notify all downstream

users of possible contamination.

**SECTION 7: HANDLING AND STORAGE** 

STORAGE TEMPERATURE: STORAGE PRESSURE: Ambient Ambient

**GENERAL:** Store in a cool, dry, well-ventilated area away from incompatible materials and products. Avoid getting this product in eyes,

> on skin or on clothing. Wear recommended personnel protective equipment when handling this product. Do not breathe mists, vapors, fumes or aerosols. Use with adequate ventilation. Do not take internally. Keep the container tightly closed

when not in use. Wash thoroughly after handling this product.

#### **SECTION 8: EXPOSURE CONTROLS / PERSONAL PROTECTION**

**CONTROL** Use a local or general, mechanical exhaust ventilation system capable of maintaining emissions, in the work area,

**MEASURES:** below the OSHA-PEL, ACGIH-TLV or levels that may cause irritation.

RECOMMENDED PERSONAL PROTECTIVE EQUIPMENT

RESPIRATOR: For exposure above the ACGIH-TLV, OSHA Ceiling level or levels that may cause irritation, wear a NIOSH-

approved full facepiece or half mask air-purifying cartridge respirator equipped with a good mist / particulate filter cartridge or supplied air. **Note:** Always consult the respirator manufacturer's data when determining the suitability

of respiratory protective devices prior to use.

EYES: Wear chemical goggles (recommended by ANSI Z87.1-1979), unless a full facepiece respirator is worn. Note:

Always consult the protective eyewear manufacturer's data when determining the suitability of protective eyewear

prior to use.

GLOVES: Wear Neoprene, Nitrile, Butyl Rubber or Natural Rubber gloves. Note: Always consult the glove manufacturer's

permeation data when determining the suitability of gloves prior to use.

**CLOTHING &**Wear a Neoprene, Nitrile, Butyl Rubber or Natural Rubber apron, or full protective clothing when handling this material. An eye wash station and safety shower should be available in the work area. **Note:** Always consult the

material. An eye wash station and safety shower should be available in the work area. **Note:** Always consult the clothing/equipment manufacturer's permeation data when determining the suitability of clothing/equipment prior to

use.

FOOTWEAR: Wear Neoprene, Nitrile, Butyl Rubber or Natural Rubber boots. Note: Always consult the footwear manufacturer's

permeation data when determining the suitability of footwear prior to use.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES					
Appearance:	Clear to slightly hazy, bluish	Bulk Density (pounds/ft³):	Not applicable		
Physical State:	Liquid	Vapor Pressure:	No data available		
Odor:	Sweet citrus type	Vapor Density (air=1):	No data available		
Odor Threshold:	No data available	Evaporation Rate (n-Butyl Acetate=1):	Less than 1		
Molecular Formula:	Mixture	VOC Content / Organic Matter:	≤1gm/Liter / 7.74%		
Molecular Weight:	Not applicable	% Volatile:	Approximately 75		
Boiling Point:	Greater than 100° C. (212° F.)	Solubility in H₂O:	Complete		
Freezing/Melting Point:	Less than 0° C. (32° F.)	Octanol/Water Partition Coefficient:	No data available		
Specific Gravity:	1.30 – 1.40 @ 20° C.	pH (as is):	1.1 - 2.0		
Density (pounds/gallon):	Approximately 10.7	pH (1% solution):	No data available		

## **SECTION 10: STABILITY AND REACTIVITY**

**GENERAL:** This product is stable and hazardous polymerization will not occur.

**CONDITIONS TO AVOID:** Do not store this product below 50° F (10° C) or above 90° F (30° C)

**INCOMPATIBLE MATERIAL:** Contact caustics & alkali, strong oxidizers, sulfides, sulfites, cyanides and chlorine releasers.

HAZARDOUS DECOMPOSITION PRODUCTS: When heated to dryness and decomposition, it emits toxic oxides of carbon, zinc,

manganese, iron and copper, with trace or ultra-trace toxic oxide amounts, of potassium, phosphorus, nitrogen, sulfur, magnesium, calcium, boron, cobalt and

sodium plus irritating smoke.

**SENSITIVITY TO MECHANICAL IMPACT:** This product is <u>not</u> sensitive to mechanical impact.

**SENSITIVITY TO STATIC DISCHARGE:** This product is <u>not</u> sensitive to static discharge.

## **SECTION 11: TOXICOLOGICAL INFORMATION**

Components: <u>Proprietary Organic Acid</u> <u>Zinc Sulfate</u>

Eye Contact: Rabbit: 750 ug/24 Hours; Severe Rabbit: 420 ug; Moderate

Skin Contact: Rabbit: 500 mg/24 Hours; Moderate No data available

**Oral Rat LD**₅0: 3 gm/kg 1,710 mg/kg

Dermal Rabbit LD<sub>50</sub>: No data available (Subcutaneous LD<sub>Lo</sub>: 300 mg/kg)

Inhalation Rat LC<sub>50</sub>: No data available No data available

**Human Data:** No data available Oral Human TD<sub>Lo</sub>: 45 mg/kg/7 Days; Cardiac & Blood Effects

Other Toxicological Data: Intravenous Mouse LD<sub>50</sub>: 42 mg/kg Subcutaneous Rat LD<sub>Lo</sub>: 330 mg/kg

Carcinogenicity: No data available Subcutaneous Rabbit LD<sub>Lo</sub>: 3,625 ug/kg/5 Days –

Tumorigenic – Tumors at site of application

**Teratogenicity:** No data available Oral Rat TD<sub>Lo</sub>: 333 mg/kg (female 1-18 Days pregnant)

Effects on fertility - Post implantation mortality

Mutagenicity: No data available Human DNA Inhibition, HeLa cell: 1 umol/Liter/4 hours

Synergistic Products: None reported None reported

Target Organs: Eyes, Skin, Mucous membranes, Lungs & Teeth Eyes, Skin, Lungs, Blood, Cardiovascular & Central Nervous

Systems

Medical Conditions

Aggravated By Exposure: Skin or Respiratory disorders Skin, Respiratory or Heart disorders

Components: Manganese Sulfate Ferrous Sulfate

Eye Contact:No data availableNo data availableSkin Contact:No data availableNo data available

**Oral Rat LD**₅0: 2,150 mg/kg 319 mg/kg

Dermal Rabbit LD $_{50}$ : No data available No data available Inhalation Rat LC $_{50}$ : No data available No data available

**Human Data:** No data available Oral Woman TD<sub>Lo</sub>: 10,560 ug/kg; Gastrointestinal effects

Other Toxicological Data: Oral Mouse LD<sub>50</sub>: 2,330 mg/kg Oral Mouse LD<sub>50</sub>: 680 mg/kg

Carcinogenicity: Intraperitoneal Mouse TD<sub>Lo</sub>: 660 mg/kg/8 Weeks; Subcutaneous Mouse TD<sub>Lo</sub>:1,600 mg/kg/16 Weeks;

Tumorigenic – Neoplastic by RTECS criteria Equivocal Tumorigenic Agent, Tumors at application site

Teratogenicity: Intraperitoneal Mouse TD<sub>Lo</sub>: 34,356 ug/kg; (female 10 Oral Rat TD<sub>Lo</sub>: 7,200 mg/kg (9-14 Days pregnant); Effects on

Days pregnant) Post-implantation mortality Embryo or Fetus – Fetal death

Mutagenicity: Bacteria B Subtilis DNA Repair: 50 mmol/ Liter Cytogenetic Analysis – Hamster, Ovary: 5 mmol/ Liter

Synergistic Products: None reported None reported

Target Organs: Eyes, Skin, Lungs & Central Nervous Systems Eyes, Skin, Lungs, Liver, Gastrointestinal Tract & Lymphatic

System

**Medical Conditions** 

Aggravated By Exposure: Skin or Respiratory disorders Skin, Liver or Respiratory disorders

### **SECTION 11: TOXICOLOGICAL INFORMATION (Continued from Page 4)**

Components: Copper Sulfate

Eye Contact: No data available

Skin Contact: No data available

Oral Rat LD<sub>50</sub>: 300 mg/kg

Dermal Rabbit LD<sub>50</sub>: No data available
Inhalation Rat LC<sub>50</sub>: No data available

Human Data: Oral Human TD<sub>Lo</sub>: 11 mg/kg; Toxic Effects - Gastritis, Gastrointestinal Hypermotility, diarrhea

Other Toxicological Data: Oral Child TD<sub>Lo</sub>: 150 mg/kg; Toxic Effects – Kidney, Ureter and Bladder-Changes in tubules (acute renal failure)

Carcinogenicity: Parenteral Chicken, TD<sub>Lo</sub>: 10 mg/kg; Tumorigenic – Equivocal tumorigenic agent by RTECS criteria

Teratogenicity: Subcutaneous Rat TD<sub>Lo</sub>: 12,768 ug/kg; (male 1 Day prior to mating) paternal effects-Testes, epididymis, sperm duct

Mutagenicity: Rat DNA damage, Ascites tumor: 500 umol/Liter

Synergistic Products: None reported

Target Organs: Eyes, Skin, Mucous membranes, Lungs, Gastrointestinal tract, Kidneys & Blood

**Medical Conditions** 

Aggravated By Exposure: Wilson's Disease, Skin, Liver, Kidney & Respiratory disorders

## **SECTION 12: ECOLOGICAL INFORMATION**

#### **ENVIRONMENTAL FATE:**

This product is completely soluble in water and can affect the pH of water. No specific environmental fate data is available.

#### **ENVIRONMENTAL CONSIDERATIONS:**

The aquatic toxicity for this product has not been determined.

### **SECTION 13: DISPOSAL CONSIDERATIONS**

RCRA 40 CFR 261 CLASSIFICATON: Non-RCRA Hazardous Waste (United States)

U.S. EPA WASTE NUMBER/DESCRIPTION: Not Applicable

If this product is disposed of as shipped, it does not meet the criteria of a hazardous waste as defined under 40 CFR 261, in that it does not exhibit the characteristics of a hazardous waste of Subpart C, nor is it listed as a hazardous waste under Subpart D due to toxicity. As a non-RCRA hazardous liquid waste, it should be disposed of in accordance with all local, state, and federal regulations. Consult state or local officials for proper disposal method.

#### **SECTION 14: TRANSPORTATION INFORMATION**

DOT PROPER SHIPPING NAME: Environmentally hazardous substances, liquid, n.o.s. (Cupric Sulfate)

Hazard Class: 9 UN Number: UN3082 Packing Group: |||

Primary Label: Class 9 Subsidiary Label(s): None

Primary/Subsidiary Placards: Class 9

DOT Reportable Quantity (RQ): 10 pounds (Cupric Sulfate) RQ for Product: 395 pounds (37 gallons)

Marine Pollutant: Yes (Severe Marine Pollutant) Applicable to transport by water & in any bulk packaging.

2012 North American Emergency Response Guidebook No.: 171

TDG PROPER SHIPPING NAME: Environmentally hazardous substances, liquid, n.o.s. (Cupric Sulfate)

Hazard Class: 9 UN Number: UN3082 Packing Group: ||

Primary Label: Class 9 Subsidiary Label(s): None

Primary/Subsidiary Placards: Class 9

TDG Reportable Quantity (RQ): \* At least 1kg
TDG Schedule XII: Not listed

Regulated Limit (RL): \*\* Not Listed RL for Product: Not Applicable

Other Shipping Information: Note: In a packaging holding 395 pounds, or more, the shipping name must be preceded by: "RQ,". All the

hazardous material shipping descriptions, for this product, must be followed by "(Marine Pollutant)". The Marine

Pollutant marking must be on all packaging.

<sup>\*</sup> Canadian Transportation of Dangerous Goods Regulations (TDGR), Part IX, Table I, Quantities or levels for Immediate Reporting: releases of reportable quantities, RQ, that meet the definition of a "dangerous occurrence" (a threat to life, health, property, or the environment) must be reported to the appropriate authorities as outlined in TDGR 9.13(1) and 9.14(1). \*\* Reporting to Environment Canada is required for any releases exceeding the regulated limits, RL, of 9.2 materials (primary or secondary). The regulated limits are found in Schedule XIII of the TDGR.

SECTION 15: REGULATORY INFORMATION					
COMPONENTS:	Proprietary Organic Acid	Zinc Sulfate	Manganese Sulfate	Ferrous Sulfate	
OSHA Target Organs:	Eyes, Skin, Mucous membranes, Lungs & Teeth	Eyes, Skin, Lungs, Cardiovascular, Blood & Central Nervous Systems	Eyes, Skin, Lungs & Central Nervous Systems	Eyes, Skin, Lungs, Liver, Gastrointestinal & Lymphatic Systems	
Carcinogenic Potential:					
Regulated by OSHA:	No	No	No	No	
Listed on NTP Report:	No	No	No	No	
Listed by IARC:	No	No	No	No	
IARC Group:	Not applicable	Not applicable	Not applicable	Not applicable	
ACGIH Appendix A:	Not listed	Not listed	Not listed	Not listed	
A1 Confirmed Human: A2 Suspected Human:	Not applicable Not applicable	Not applicable Not applicable	Not applicable Not applicable	Not applicable Not applicable	
U.S. EPA Requirements					
Release Reporting					
<b>CERCLA</b> (40 CFR 302)					
Listed Substance:	Not listed	Yes	Yes (Manganese Compounds)	Yes	
Reportable Quantity:	Not applicable	1, 000 pounds	1 pound	1,000 pounds	
Category:	Not applicable	C	Not listed	C	
RCRA Waste No.:	Not applicable	Not listed	Not listed	None listed	
Unlisted Substance:	Yes	Not applicable	Not applicable	Not applicable	
Reportable Quantity:	100 pounds	Not applicable	Not applicable	Not applicable	
Characteristic: RCRA Waste No.:	Corrosivity D002	Not applicable Not applicable	Not applicable  Not applicable	Not applicable Not applicable	
SARA TITLE III		.,	.,		
Section 302 & 303 (40 CFR 355):					
Listed Substance:	Not listed	Not listed	Not listed	Not listed	
Reportable Quantity:	Not applicable	Not applicable	Not applicable	Not applicable	
Planning Threshold:	Not applicable	Not applicable	Not applicable	Not applicable	
Section 311 & 312 (40 CFR 370):					
Hazard Categories ( <b>product</b> ): Planning threshold:	Fire: N Sudden Relea	ase of Pressure: <u>N</u> React	tive: <u>N</u> Acute Health: <u>Y</u> 10,000 pounds	Chronic Health: <u>N</u> 10,000 pounds	
Section 313 (40 CFR 372):	·	·	·	·	
Listed Toxic Chemical:	Not listed	Yes (Zinc Category)	Yes (Manganese Category)	Not listed	
Reporting Threshold:	Not applicable	10,000 pounds	10,000 pounds	Not applicable	
U.S. TSCA Status					
<b>Listed</b> (40 CFR 710):	Yes	Yes	Yes	Yes	
State Regulations					
State of California: Safe Drinkin	g Water and Toxins Enforcem	ent Act, 1986 (Proposition 6	65):		
Carcinogen:	No	No	No	No	
Reproductive Toxin:	No	No	No	No	
Other Regulations State Right To Know Laws:	MA, NJ, PA				
Canadian Regulations					
Product Information:					
Controlled Product:	Yes				
WHMIS Hazard Symbols:	Material Causing Other To	xic Effects			
WHMIS Class & Division:	D.2B				
Ingredient Information:					
IDL Substance:	Yes	Yes	Yes	No	
DSL or NDSL Lists:	DSL	DSL	DSL	DSL	

## SECTION 15: REGULATORY INFORMATION (Continued from Page 6)

COMPONENTS: Copper Sulfate

OSHA Target Organs: Eyes, Skin, Mucous

membranes, Lungs, Liver, Kidneys & Blood

**Carcinogenic Potential:** 

Regulated by OSHA: No
Listed on NTP Report: No
Listed by IARC: No

IARC Group:

ACGIH Appendix A:

A1 Confirmed Human:

A2 Suspected Human:

Not applicable

Not applicable

Not applicable

## U.S. EPA Requirements

Release Reporting
CERCLA (40 CFR 302)

Listed Substance: Yes

Reportable Quantity: 10 pounds (Anhydrous)

Category: A

RCRA Waste No.:

Unlisted Substance:
Reportable Quantity:
Characteristic:
RCRA Waste No.:

Not applicable
Not applicable
Not applicable
Not applicable

#### SARA TITLE III

Section 302 & 303 (40 CFR 355):

Listed Substance: Not listed
Reportable Quantity: Not applicable
Planning Threshold: Not applicable

Section 311 & 312 (40 CFR 370):

Planning threshold: 10,000 pounds

Section 313 (40 CFR 372):

Listed Toxic Chemical: Yes (Copper Category)
Reporting Threshold: 10,000 pounds

**U.S. TSCA Status** 

Listed (40 CFR 710): Yes

### State Regulations

State of California: Safe Drinking Water and Toxins Enforcement Act, 1986 (Proposition 65):

Carcinogen: No Reproductive Toxin: No

Other Regulations

State Right To Know Laws: MA, NJ, PA

**Canadian Regulations** 

**Product Information:** 

Controlled Product: Yes

WHMIS Hazard Symbols: Corrosive Material

WHMIS Class & Division:

Ingredient Information:

IDL Substance: Yes
DSL or NDSL Lists: DSL

## **SECTION 16: OTHER INFORMATION**

EPA Registration number: Not applicable

**Approved Product Uses:** Used as part of a plant nutrition program.

#### **Special Notes:**

This product is not formulated to contain any material, which the State of California has found to cause cancer and/or birth defects or other reproductive harm. However, as it contains small amounts of mined minerals, this product may contain trace (parts per million) or ultra-trace (parts per billion) of elements known to the State of California to cause cancer, birth defects or other reproductive harm.

#### Special Instructions:

When making solutions, always add Max Pak to water, or other solutions, with adequate mixing to ensure a uniform solution. Do not add this product to hypochlorite bleaches, chlorine sanitizers or chlorinated cleaners as this liberates toxic Chlorine gas. Do not add this product to strong alkali or caustic materials and products, as this can liberate a lot of heat and toxic Ammonia gas.

**SDS Revision Information:** Revision Date: 11/15/17

SDS Distributed by: Bio Huma Netics, Inc.

Prepared By: Frank S. Pidgeon, Sr. EHSS Director Date Prepared: October 20, 2014

This Safety Data Sheet is provided as an information resource only. It should not be taken as a warranty or representation for which Bio Huma Netics, Inc. assumes legal liability. While Bio Huma Netics, Inc. believes the information contained herein is accurate and compiled from sources believed to be reliable, it is the responsibility of the user to investigate and verify its validity. The buyer assumes all responsibility of using and handling the product in accordance with applicable federal, state, and local regulations.