




# SAFETY DATA SHEET

## HUMA GRO® Z-Max



HMIS	
HEALTH	2
FLAMMABILITY	0
PHYSICAL HAZARD	0
PPE	B

### SECTION 1: CHEMICAL PRODUCT & COMPANY IDENTIFICATION

<b>PRODUCT IDENTIFIER:</b>	<b>HUMA GRO® Z-Max</b>	<b>Product# 280</b>
<b>GENERAL USE:</b>	Used as a part of a plant nutrition program.	
<b>PRODUCT DESCRIPTION:</b>	A clear to slightly hazy, greenish blue liquid having a slight characteristic odor.	
<b>SUPPLIER INFORMATION:</b>	<b>Bio Huma Netics, Inc.</b> 1331 W Houston Avenue Gilbert, AZ 85233	<b>EMERGENCY PHONE NUMBERS</b>
<b>For Additional SDS call:</b>	<b>PHONE: (480) 961-1220</b>	<b>CHEMTREC: (In the USA) 800-424-9300 (International) 703-527-3887</b>

### SECTION 2: HAZARDS IDENTIFICATION

#### HAZARDS OVERVIEW:



A clear to slightly hazy, greenish blue, moderately acidic liquid having a slight characteristic odor. The liquid and mists may cause irritation to the eyes, skin and respiratory tract. This product may be toxic by ingestion or inhalation of high mist concentrations.

**CLASSIFICATION:** HAZARD CATEGORY 4

**SIGNAL WORD:** WARNING

**HAZARD STATEMENT:** H302; Harmful if Swallowed

**PRECAUTIONARY STATEMENT:** P301+P312 IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell, P330; Rinse Mouth P264; Wash hands thoroughly after handling, P270; Do not eat, drink or smoke when using this product.

**CLASSIFICATION:** MILD SKIN IRRITATION – HAZARD CATEGORY 3

**SIGNAL WORD:** WARNING

**HAZARD STATEMENT:** H316 - WARNING - causes mild skin irritation

**PRECAUTIONARY STATEMENT:** P332+P313; If skin irritation occurs: Get medical attention/advice.

### SECTION 3: COMPOSITION & INFORMATION ON INGREDIENTS

COMPONENT	CAS #	OSHA HAZARD	WT %	ACGIH		OSHA	
				TLV <sub>(TWA)</sub>	STEL	PEL <sub>(TWA)</sub>	STEL
Zinc Sulfate	7733-02-0	Eye, Skin & Respiratory Irritant; Cardiovascular, ; Blood & Central Nervous System toxin	23 ± 3	None	None	None	None
Manganese Sulfate	7785-87-7	Eye, Skin & Respiratory Irritant; Central Nervous System toxin; Moderately toxic by Ingestion	6 ± 1	0.2 mg/m <sup>3</sup> Proposed: 0.02 mg/m <sup>3</sup> Respirable fraction	None	Ceiling 5 mg/m <sup>3</sup>	None
Copper Sulfate *	7758-98-7	Eye, Skin & Respiratory Irritant; Blood, Liver & Kidney toxin	2 ± 1	1 mg/m <sup>3</sup> (Dusts & Mists as Cu)	None	None	None

\* (DOT name is Cupric Sulfate)

NDA = No Data Available

N/A = Not Applicable

#### SECTION 4: FIRST AID MEASURES

<b>INHALATION:</b>	If inhaled, immediately move to fresh air. If not breathing, give artificial respiration, preferably mouth-to-mouth. If breathing is difficult, give oxygen. Call a physician.
<b>EYE CONTACT:</b>	In case of contact, immediately flush eyes with plenty of clean running water for at least 15 minutes, lifting the upper and lower lids occasionally. Remove contact lenses, if worn. Get medical attention if irritation persists.
<b>SKIN CONTACT:</b>	In case of contact, flush skin with plenty of clean running water. Remove contaminated clothing and shoes and wash before reuse. If irritation occurs and persists, get medical attention.
<b>INGESTION:</b>	If large quantities of this product are swallowed, call a physician immediately. DO NOT induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person.
<b>NOTE TO PHYSICIANS:</b>	Based on component information, this product is slightly toxic by ingestion. If a large amount is ingested, consideration should be given to careful endoscopy as stomach or esophageal irritation may occur, with possible central nervous system effects following absorption into the blood stream. Careful gastric lavage with an endotracheal tube in place should be considered. Treat exposure symptomatically.

#### SECTION 5: FIRE FIGHTING MEASURES

<b>Flashpoint and Method:</b>	This product does not flash.		
<b>Flammable Limits (in air, % by volume)</b>	<b>Lower:</b>	Not applicable	<b>Upper:</b> Not applicable
<b>Autoignition Temperature:</b>	Not Determined		
<b>GENERAL HAZARD:</b>	This product is an aqueous solution of inorganic salts that are in a moderately acidic solution. The Uniform Fire Code health hazard classification for this product is: <b>Irritant</b> . This product may produce hazardous mists or hazardous decomposition products.		
<b>FIRE FIGHTING INSTRUCTIONS:</b>	<b>EXTINGUISHING MEDIA:</b>	Water, foam, CO <sub>2</sub> or dry chemicals. Use a water spray or fog to cool the containers exposed to the heat of a fire.	
<b>FIRE FIGHTING EQUIPMENT:</b>	Fire fighters should wear full protective equipment, including self-contained breathing apparatus.		
<b>HAZARDOUS COMBUSTION PRODUCTS:</b>	When heated to dryness and decomposition, it emits toxic zinc, manganese and copper oxides, with trace or ultra-trace toxic oxide amounts, of potassium, nitrogen, sulfur, iron, magnesium, calcium, sodium and carbon.		

#### SECTION 6: ACCIDENTAL RELEASE MEASURES

<b>RELEASE TO LAND:</b>	Wearing recommended protective equipment and clothing, dike the spill and pick up the bulk of liquid using pumps or a vacuum truck, or absorb the liquid in sand or a commercially absorbent material. Place in approved containers for recovery, disposal, or satellite accumulation. Neutralize the acidity, of the remaining liquid, using soda ash, lime, or other agent appropriate for neutralizing acidic liquids. Flush the spill area with water; collect the rinsates for disposal or sewer, as appropriate.
<b>RELEASE TO WATER:</b>	Wear recommended protective equipment and clothing if contact with hazardous material can occur. Stop or divert water flow. Dike contaminated water and remove for disposal and/or treatment. As appropriate, notify all downstream users of possible contamination.

#### SECTION 7: HANDLING AND STORAGE

<b>STORAGE TEMPERATURE:</b>	Ambient	<b>STORAGE PRESSURE:</b>	Ambient
<b>GENERAL:</b>	Store in a cool, dry, well-ventilated area away from incompatible materials and products. Do not get this product in eyes, on skin or on clothing. Wear recommended personnel protective equipment when handling this product. Do not breathe mists, vapors, fumes or aerosols. Use only with adequate ventilation. Do not take internally. Keep the container tightly closed when not in use. Wash thoroughly after handling this product.		

## SECTION 8: EXPOSURE CONTROLS / PERSONAL PROTECTION

**CONTROL MEASURES:** Use a local or general, mechanical exhaust ventilation system capable of maintaining emissions, in the work area, below the OSHA-PEL, ACGIH-TLV or levels that may cause irritation.

### RECOMMENDED PERSONAL PROTECTIVE EQUIPMENT

**RESPIRATOR:** For exposure above the ACGIH-TLV, OSHA-PEL or levels that may cause irritation, wear a NIOSH-approved full facepiece or half mask air-purifying cartridge respirator equipped with a good mist / particulate filter cartridge or supplied air. **Note:** Always consult the respirator manufacturer's data when determining the suitability of respiratory protective devices prior to use.

**EYES:** Wear chemical goggles (recommended by ANSI Z87.1-1979), unless a full facepiece respirator is worn. **Note:** Always consult the protective eyewear manufacturer's data when determining the suitability of protective eyewear prior to use.

**GLOVES:** Wear Neoprene, Nitrile, Butyl Rubber, or Natural Rubber gloves. **Note:** Always consult the glove manufacturer's permeation data when determining the suitability of gloves prior to use.

**CLOTHING & EQUIPMENT:** If contact is likely, wear a Neoprene, Nitrile, Butyl Rubber, or Natural Rubber apron when handling this product. An eye wash station and safety shower should be available in the work area. **Note:** Always consult the clothing/equipment manufacturer's permeation data when determining the suitability of clothing/equipment prior to use.

**FOOTWEAR:** Wear Neoprene, Nitrile, Butyl Rubber or Natural Rubber boots. **Note:** Always consult the footwear manufacturer's permeation data when determining the suitability of footwear prior to use.

## SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

<b>Appearance:</b>	Clear to slightly hazy, greenish blue	<b>Bulk Density (pounds/ft<sup>3</sup>):</b>	Not applicable
<b>Physical State:</b>	Liquid	<b>Vapor Pressure:</b>	No data available
<b>Odor:</b>	Slight, characteristic	<b>Vapor Density (air=1):</b>	No data available
<b>Odor Threshold:</b>	No data available	<b>Evaporation Rate (n-Butyl Acetate=1):</b>	Less than 1
<b>Molecular Formula:</b>	Mixture	<b>VOC Content / Organic Matter:</b>	Nil / 1.7%
<b>Molecular Weight:</b>	Not applicable	<b>% Volatile:</b>	Approximately 65
<b>Boiling Point:</b>	Greater than 100° C. (212° F.)	<b>Solubility in H<sub>2</sub>O:</b>	Complete
<b>Freezing/Melting Point:</b>	Less than 0° C. (32° F.)	<b>Octanol/Water Partition Coefficient:</b>	No data available
<b>Specific Gravity:</b>	1.30 – 1.45 @ 20° C.	<b>pH (as is):</b>	4.0 - 5.0
<b>Density (pounds/gallon):</b>	Approximately 11.51	<b>pH (1% solution):</b>	No data available

## SECTION 10: STABILITY AND REACTIVITY

**GENERAL:** This product is stable and hazardous polymerization will not occur.

**CONDITIONS TO AVOID:** Do not store this product below 50° F (10° C) or above 90° F (30° C)

**INCOMPATIBLE MATERIAL:** Contact caustics and alkali, sulfides, sulfites, cyanides and chlorine releasers.

**HAZARDOUS DECOMPOSITION PRODUCTS:** When heated to dryness and decomposition, it emits toxic oxides of zinc, manganese and copper, with trace or ultra-trace toxic oxide amounts of potassium, nitrogen, sulfur, iron, magnesium, calcium, sodium and carbon.

**SENSITIVITY TO MECHANICAL IMPACT:** This product is not sensitive to mechanical impact.

**SENSITIVITY TO STATIC DISCHARGE:** This product is not sensitive to static discharge.

## SECTION 11: TOXICOLOGICAL INFORMATION

Components:	<u>Zinc Sulfate</u>	<u>Manganese Sulfate</u>
<b>Eye Contact:</b>	Rabbit: 420 ug; Moderate	No data available
<b>Skin Contact:</b>	No data available	No data available
<b>Oral Rat LD<sub>50</sub>:</b>	1,710 mg/kg	2,150 mg/kg
<b>Dermal Rabbit LD<sub>50</sub>:</b>	No data available (Subcutaneous LD <sub>50</sub> : 300 mg/kg)	No data available
<b>Inhalation Rat LC<sub>50</sub>:</b>	No data available	No data available
<b>Human Data:</b>	Oral Human TD <sub>Lo</sub> : 45 mg/kg/7 Days; Cardiac & Blood Effects	No data available
<b>Other Toxicological Data:</b>	Subcutaneous Rat LD <sub>50</sub> : 330 mg/kg	Oral Mouse LD <sub>50</sub> : 2,330 mg/kg
<b>Carcinogenicity:</b>	Subcutaneous Rabbit LD <sub>Lo</sub> : 3,625 ug/kg/5 Days – Tumorigenic – Tumors at site of application	Intraperitoneal Mouse TD <sub>Lo</sub> : 660 mg/kg/8 Weeks; Tumorigenic – Neoplastic by RTECS criteria
<b>Teratogenicity:</b>	Oral Rat TD <sub>Lo</sub> : 333 mg/kg (female 1-18 Days pregnant) Effects on fertility – Post implantation mortality	Intraperitoneal Mouse TD <sub>Lo</sub> : 34,356 ug/kg; (female 10 Days pregnant) Post-implantation mortality
<b>Mutagenicity:</b>	Human DNA Inhibition, HeLa cell: 1 umol/Liter/4 hours	Bacteria B Subtilis DNA Repair: 50 mmol/ Liter
<b>Synergistic Products:</b>	None reported	None reported
<b>Target Organs:</b>	Eyes, Skin, Lungs, Blood, Cardiovascular & Central Nervous Systems	Eyes, Skin, Lungs & Central Nervous Systems
<b>Medical Conditions Aggravated By Exposure:</b>	Skin, Respiratory or Heart disorders	Skin or Respiratory disorders
Components:	<u>Copper Sulfate</u>	
<b>Eye Contact:</b>	No data available	
<b>Skin Contact:</b>	No data available	
<b>Oral Rat LD<sub>50</sub>:</b>	300 mg/kg	
<b>Dermal Rabbit LD<sub>50</sub>:</b>	No data available	
<b>Inhalation Rat LC<sub>50</sub>:</b>	No data available	
<b>Human Data:</b>	Oral Human TD <sub>Lo</sub> : 11 mg/kg; Toxic Effects - Gastritis, Gastrointestinal Hypermotility, diarrhea	
<b>Other Toxicological Data:</b>	Oral Child TD <sub>Lo</sub> : 150 mg/kg; Toxic Effects – Kidney, Ureter and Bladder-Changes in tubules (acute renal failure)	
<b>Carcinogenicity:</b>	Parenteral Chicken, TD <sub>Lo</sub> : 10 mg/kg; Tumorigenic – Equivocal tumorigenic agent by RTECS criteria	
<b>Teratogenicity:</b>	Subcutaneous Rat TD <sub>Lo</sub> : 12,768 ug/kg; (male 1 Day prior to mating) paternal effects–Testes, epididymis, sperm duct	
<b>Mutagenicity:</b>	Rat DNA damage, Ascites tumor: 500 umol/Liter	
<b>Synergistic Products:</b>	None reported	
<b>Target Organs:</b>	Eyes, Skin, Mucous membranes, Lungs, Liver, Kidneys & Blood	
<b>Medical Conditions Aggravated By Exposure:</b>	Wilson's Disease, Skin, Liver, Kidney & Respiratory disorders	

## SECTION 12: ECOLOGICAL INFORMATION

### ENVIRONMENTAL FATE:

This product is soluble in water and can affect the pH of water. No specific environmental fate data is available.

### ENVIRONMENTAL CONSIDERATIONS:

The aquatic toxicity for this product has not been determined.

## SECTION 13: DISPOSAL CONSIDERATIONS

**RCRA 40 CFR 261 CLASSIFICATION:** Non-RCRA Hazardous Waste (United States)

**U.S. EPA WASTE NUMBER/DESCRIPTION:** Not Applicable

If this product is disposed of as shipped, it does not meet the criteria of a hazardous waste as defined under 40 CFR 261, in that it does not exhibit the characteristics of a hazardous waste of Subpart C, nor is it listed as a hazardous waste under Subpart D due to toxicity. As a non-RCRA hazardous liquid waste, it should be disposed of in accordance with all local, state, and federal regulations. Consult state or local officials for proper disposal method.

## SECTION 14: TRANSPORTATION INFORMATION

**DOT PROPER SHIPPING NAME:** Environmentally hazardous substances, liquid, n.o.s. (Cupric Sulfate)

<b>Hazard Class:</b> 9	<b>UN Number:</b> UN3082	<b>Packing Group:</b> III
<b>Primary Label:</b> Class 9	<b>Subsidiary Label(s):</b> None Required	
<b>Primary/Subsidiary Placards:</b> Class 9		

**DOT Reportable Quantity (RQ):** 10 pounds (Cupric Sulfate)      **RQ for Product:** 568 pounds (49.5 gallons)

**Marine Pollutant:** Yes (Severe Marine Pollutant) Applicable to transport by water & in a bulk packaging.

**2012 North American Emergency Response Guidebook No.:** 171

**TDG PROPER SHIPPING NAME:** ENVIRONMENTALLY HAZARDOUS SUBSTANCES, LIQUID, N.O.S. (Cupric Sulfate)

<b>Hazard Class:</b> 9	<b>UN Number:</b> UN3082	<b>Packing Group:</b> III
<b>Primary Label:</b> Class 9	<b>Subsidiary Label(s):</b> None Required	
<b>Primary/Subsidiary Placards:</b> Class 9		

**TDG Reportable Quantity (RQ): \*** At least 1 kg

**TDG Schedule XII:** Not listed

**Regulated Limit (RL): \*\*** Not listed      **RL for Product:** Not applicable

**Other Shipping Information:** Note: In a packaging holding 568 pounds, or more, the shipping name must be preceded by: "RQ,". All the hazardous material shipping descriptions, for this product, must be followed by "(Marine Pollutant)".

\* Canadian Transportation of Dangerous Goods Regulations (TDGR), Part IX, Table I, Quantities or levels for Immediate Reporting: releases of reportable quantities, RQ, that meet the definition of a "dangerous occurrence" (a threat to life, health, property, or the environment) must be reported to the appropriate authorities as outlined in TDGR 9.13(1) and 9.14(1). \*\* Reporting to Environment Canada is required for any releases exceeding the regulated limits, RL, of 9.2 materials (primary or secondary). The regulated limits are found in Schedule XIII of the TDGR.

## SECTION 15: REGULATORY INFORMATION

**COMPONENTS:**

**OSHA Target Organs:**

<u>Zinc Sulfate</u>	<u>Manganese Sulfate</u>	<u>Copper Sulfate</u>
Eyes, Skin, Lungs, Blood, Cardiovascular & Central Nervous Systems	Eyes, Skin, Lungs & Central Nervous Systems	Eyes, Skin, Mucous membranes, Lungs, Liver, Kidneys & Blood

**Carcinogenic Potential:**

<b>Regulated by OSHA:</b>	No	No	No
<b>Listed on NTP Report:</b>	No	No	No
<b>Listed by IARC:</b>	No	No	No
IARC Group:	Not applicable	Not applicable	Not applicable
<b>ACGIH Appendix A:</b>	Not listed	Not listed	Not listed
A1 Confirmed Human:	Not applicable	Not applicable	Not applicable
A2 Suspected Human:	Not applicable	Not applicable	Not applicable

### U.S. EPA Requirements

**Release Reporting**

**CERCLA (40 CFR 302)**

<b>Listed Substance:</b>	Yes	Yes (Manganese Compounds)	Yes
Reportable Quantity:	1, 000 pounds	1 pound	10 pounds (Anhydrous)
Category:	C	Not listed	A
RCRA Waste No.:	Not listed	Not listed	Not listed
<b>Unlisted Substance:</b>	Not applicable	Not applicable	Not applicable
Reportable Quantity:	Not applicable	Not applicable	Not applicable
Characteristic:	Not applicable	Not applicable	Not applicable
RCRA Waste No.:	Not applicable	Not applicable	Not applicable

## SECTION 15: REGULATORY INFORMATION (Continued from Page 5)

COMPONENTS:	<u>Zinc Sulfate</u>	<u>Manganese Sulfate</u>	<u>Copper Sulfate</u>
<b>SARA TITLE III</b>			
<b>Section 302 &amp; 303 (40 CFR 355):</b>			
<b>Listed Substance:</b>	Not listed	Not listed	Not listed
Reportable Quantity:	Not applicable	Not applicable	Not applicable
Planning Threshold:	Not applicable	Not applicable	Not applicable
<b>Section 311 &amp; 312 (40 CFR 370):</b>			
Hazard Categories (product):	<b>Fire: <u>N</u></b>	<b>Sudden Release of Pressure: <u>N</u></b>	<b>Reactive: <u>N</u> Acute Health: <u>Y</u> Chronic Health: <u>N</u></b>
Planning threshold:	10,000 pounds	10,000 pounds	10,000 pounds
<b>Section 313 (40 CFR 372):</b>			
<b>Listed Toxic Chemical:</b>	Yes (Zinc Category)	Yes (Manganese Category)	Yes (Copper Category)
Reporting Threshold:	10,000 pounds	10,000 pounds	10,000 pounds

### U.S. TSCA Status

**Listed (40 CFR 710):** Yes Yes Yes

### State Regulations

**State of California: Safe Drinking Water and Toxins Enforcement Act, 1986 (Proposition 65):**

Carcinogen: No No No  
 Reproductive Toxin: No No No

### Other Regulations

**State Right To Know Laws:** None known None known MA, NJ, PA

### Canadian Regulations

**Product Information:**

Controlled Product: Yes  
 WHMIS Hazard Symbols: Material Causing Other Toxic Effects  
 WHMIS Class & Division: D.2B

**Ingredient Information:**

IDL Substance: Yes Yes Yes  
 DSL or NDSL Lists: DSL DSL DSL

## SECTION 16: OTHER INFORMATION

**EPA Registration number:** Not applicable  
**Approved Product Uses:** Used as part of a plant nutrition program.

**Special Notes:**

This product is not manufactured, or formulated to contain substances, which the State of California has found to cause cancer and/or birth defects or other reproductive harm. However, as containing mined minerals, this product may contain trace (parts per million) or ultra-trace (parts per billion) of elements known to the State of California to cause cancer, birth defects or other reproductive harm.

**Special Instructions:**

When making dilutions, always add Z-Max to water with adequate mixing to ensure a uniform solution. Do not add this product to hypochlorite bleaches, chlorine sanitizers, or chlorinated cleaners as this can liberate toxic, corrosive Chlorine gas.

**SDS Revision Information:** Revised Date: 4/24/18

**SDS Distributed by:** Bio Huma Netics, Inc.

<b>Prepared By:</b>	Frank S. Pidgeon, Sr. EHSS Director	<b>Date Prepared:</b>	October 21, 2014
---------------------	-------------------------------------	-----------------------	------------------

This Safety Data Sheet is provided as an information resource only. It should not be taken as a warranty or representation for which Bio Huma Netics, Inc. assumes legal liability. While Bio Huma Netics, Inc. believes the information contained herein is accurate and compiled from sources believed to be reliable, it is the responsibility of the user to investigate and verify its validity. The buyer assumes all responsibility of using and handling the product in accordance with applicable federal, state, and local regulations.