

START-L™

GUARANTEED ANALYSIS

Cobalt (Co) 0.05%
Molybdenum (Mo) 0.10%

Derived from: Cobalt Sulfate, Sodium Molybdate.

Delivered by: MICRO CARBON TECHNOLOGY®

ALSO CONTAINS NON-PLANT FOOD INGREDIENT:

0.5% Organic Matter (derived from leonardite)

DIRECTIONS FOR USE

• Shake well before use. • Designed to be applied by soil application, transplant water or root dip, pre-plant seed treatment or seed dribble. • START-L™ should be applied when healthy seed germination and/or quick plant emergence requires the application of this product. • Best results will be obtained when application is concentrated on the seed or in the active root zone. • Application should be on the seed before planting, as a transplant root dip, or soil applied shortly after planting. • Can be applied in combination with compatible plant growth regulators, pesticides, or other liquid fertilizers. • If compatibility is in question, jar test a small quantity. • Do not apply this product foliarly in concentrations greater than 10%. • Do not apply HUMA GRO® nutrients during the hottest time of the day or to plants under drought or flood stress. • Application rates may vary according to individual seed/crop requirement and available nutrient levels in the soil. • Soil applications can be made as often as every 7 to 10 days as needed to establish the crop. • Consult your local HUMA GRO® Representative or other agricultural specialist for crop-specific recommendations. • Do not store this product below 10°C (50°F) or above 30°C (90°F).

This product is intended as a supplement to a complete fertilization program and will not, by itself, provide all the nutrients normally required by agricultural crops.

STORAGE AND DISPOSAL:

Keep product in original container. Do not transfer into food or drink containers. Triple rinse when empty for recycling. Always dispose of container in accordance with local, state and/or federal regulations.

METHOD OF APPLICATION

Dripped, dribbled or sprayed on seed at planting

SUGGESTED RATE PER HECTARE
Field Crops / Tree or Vine Crops

up to 650 milliliters /
up to 1.25 liters

Applied in water used for transplanting

up to 1.25 liters /
up to 2.5 liters

Soil banded, injected, side dress, drip tape, or micro sprinklers

up to 2.5 liters / up to 5 liters

CONDITIONS OF SALE:

The information contained on this label is believed to be accurate and reliable. Buyer and user acknowledge and assume all liability resulting from the use of this material. Follow directions carefully. Timing, method of application, weather, crop conditions and other factors are beyond the control of the seller.

KEEP OUT OF REACH OF CHILDREN

Information regarding the contents and levels of metals in this product is available on the internet at <http://www.aapfco.org/metals.htm>

WARNING: Application of this material in excess may result in forage crops containing levels of Molybdenum (Mo) that are toxic to ruminant animals.

A clear to hazy, brown, very slightly alkaline liquid having a slight characteristic odor. The liquid and mists may be irritating to the eyes and possibly the skin. Inhalation of mists may be irritating to the entire respiratory tract. Ingestion of this product may cause gastrointestinal irritation, with possible central nervous system effects.

CLASSIFICATION: HAZARD CATEGORY 5 - MAY BE HARMFUL IF SWALLOWED

SIGNAL WORD: WARNING

HAZARD STATEMENT: H303 - WARNING – May be harmful if swallowed.

PRECAUTIONARY STATEMENT: P312 Call a poison center/doctor/physician if you feel unwell.

1.00 kg per liter @ 20° C.

8.34 lb per gallon @ 68° F.

pH 7.5 - 8.5

10 liters • Net Wt. 10.00 kg

LOT# 12345678



**HUMA
GRO**

*Trademark of and Produced by

BIO HUMA NETICS, INC. © 2005-2020

1331 W. Houston Ave., Gilbert, AZ 85233 • 480.961.1220

www.HumaGro.com • HGI-140-09012020

