




SAFETY DATA SHEET

HUMA GRO® Sulfur



HMIS	
HEALTH	3
FLAMMABILITY	0
PHYSICAL HAZARD	0
PPE	D

SECTION 1: CHEMICAL PRODUCT & COMPANY IDENTIFICATION

PRODUCT IDENTIFIER:	HUMA GRO® Sulfur	Product# 150
GENERAL USE:	Used as a part of a plant nutrition program.	
PRODUCT DESCRIPTION:	A clear to slightly hazy, pale amber liquid having a unique characteristic odor.	
SUPPLIER INFORMATION:	Bio Huma Netics, Inc. 1331 W Houston Avenue Gilbert, AZ 85233	EMERGENCY PHONE NUMBERS
For Additional SDS call:	PHONE: (480) 961-1220	CHEMTREC: (In the USA) 800-424-9300 (International) 703-527-3887

SECTION 2: HAZARDS IDENTIFICATION

HAZARDS OVERVIEW:

A clear to slightly hazy, pale amber, acidic liquid having a unique characteristic odor. The liquid and mists may cause severe irritation, or burns, to the eyes and skin. Inhalation of mists may be severely irritating, or corrosive, to the entire respiratory tract. Ingestion of this product may cause severe gastrointestinal irritation and central nervous system effects.



CLASSIFICATION: SKIN CORROSION – CATEGORY 1A

SIGNAL WORD: DANGER

HAZARD STATEMENT: H314; causes severe skin burns and eye damage

PRECAUTIONARY STATEMENT: P260; Do not breathe dusts/mist/vapors. P280; Wear protective gloves/protective clothing/eye protection/face protection P264; Wash hands thoroughly after handling

CLASSIFICATION: HAZARD CATEGORY 5 - MAY BE HARMFUL IF SWALLOWED

SIGNAL WORD: WARNING

HAZARD STATEMENT: H303 - WARNING – may be harmful if swallowed

PRECAUTIONARY STATEMENT: P312; Call a poison center/doctor/physician if you feel unwell

SECTION 3: COMPOSITION & INFORMATION ON INGREDIENTS

COMPONENT	CAS #	OSHA HAZARD	WT %	ACGIH		OSHA	
				TLV _(TWA)	STEL	PEL _(TWA)	STEL
Ammonium Sulfate	7783-20-2	Eye, Skin & Respiratory Irritant; Human Central Nervous System Effects by Ingestion	30 ± 5	None	None	None	None
Ammonium Hydrogen Sulfate	7803-63-6	Corrosive; Moderately toxic by Ingestion	6 ± 2	None	None	None	None

NDA = No Data Available N/A = Not Applicable

SECTION 4: FIRST AID MEASURES

INHALATION:	If inhaled, immediately move to fresh air. If not breathing, give artificial respiration. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; use the Holger Nielsen method (back pressure-arm lift) or proper respiratory device. If breathing is difficult, give oxygen. Call a physician.
EYE CONTACT:	In case of contact, immediately flush eyes with plenty of clean running water for at least 15 minutes, lifting the upper and lower lids occasionally. Remove contact lenses, if worn. Get medical attention if irritation persists.
SKIN CONTACT:	In case of contact, flush skin with plenty of clean running water. Remove contaminated clothing and shoes and wash before reuse. If irritation occurs and persists, get medical attention.
INGESTION:	If large quantities of this product are swallowed, call a physician immediately. DO NOT induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person.
NOTE TO PHYSICIANS:	Ammonium Hydrogen Sulfate with Ammonium Sulfate solutions has a moderate oral toxicity, but they also can be severely irritating and/or corrosive to the eyes, skin and mucous membranes. If ingested, consideration should be given to careful endoscopy as stomach or esophageal burns, perforations or strictures may occur. Careful gastric lavage with an endotracheal tube in place should be considered. Treat exposure symptomatically.

SECTION 5: FIRE FIGHTING MEASURES

Flashpoint and Method:	This product does not flash.		
Flammable Limits (in air, % by volume)	Lower: Not applicable	Upper: Not applicable	
Autoignition Temperature:	Not applicable		
GENERAL HAZARD:	This product is not combustible, but it may generate flammable/explosive Hydrogen gas on contact with some metals, such as Aluminum. The Uniform Fire Code health hazard classification for this product is: Corrosive (Acidic) . It may produce hazardous mists or hazardous decomposition products.		
FIRE FIGHTING INSTRUCTIONS:	EXTINGUISHING MEDIA: Water, foam, CO ₂ or dry chemicals. Use a water spray or fog to cool the containers exposed to the heat of a fire.		
FIRE FIGHTING EQUIPMENT:	Fire fighters should wear full protective equipment, including self-contained breathing apparatus.		
HAZARDOUS COMBUSTION PRODUCTS:	When heated to dryness and decomposition, it emits toxic Ammonia gas, nitrogen oxides and sulfur oxides with trace or ultra-trace toxic oxide amounts of potassium, phosphorus, iron, manganese, magnesium, calcium, zinc and sodium.		

SECTION 6: ACCIDENTAL RELEASE MEASURES

RELEASE TO LAND:	Wearing recommended protective equipment and clothing, dike the spill and pick up the bulk of liquid using pumps or a vacuum truck, or absorb the liquid in sand or a commercially absorbent material. Place in approved containers for recovery, disposal, or satellite accumulation. Neutralize the acidity, of the remaining liquid, using sodium bicarbonate, limestone, or other agent appropriate for neutralizing acidic liquids, that will not release Ammonia gas. Flush the spill area with water; collect the rinsates for disposal or sewer, as appropriate.
RELEASE TO WATER:	Wear recommended protective equipment and clothing if contact with hazardous material can occur. Stop or divert water flow. Dike contaminated water and remove for disposal and/or treatment. As appropriate, notify all downstream users of possible contamination.

SECTION 7: HANDLING AND STORAGE

STORAGE TEMPERATURE:	Ambient	STORAGE PRESSURE:	Ambient
GENERAL:	Store in a cool, dry, well-ventilated, area away from incompatible materials and products. Do not get this product in eyes, on skin or on clothing. Wear recommended personnel protective equipment when handling this product. Do not breathe mists, vapors, fumes or aerosols. Use only with adequate ventilation. Do not take internally. Keep the container tightly closed when not in use. Wash thoroughly after handling this product.		

SECTION 8: EXPOSURE CONTROLS / PERSONAL PROTECTION

CONTROL MEASURES: Use a local or general, mechanical exhaust ventilation system capable of maintaining emissions, in the work area, below the levels that may cause irritation.

RECOMMENDED PERSONAL PROTECTIVE EQUIPMENT

RESPIRATOR: For exposure to those levels that may cause irritation, wear a NIOSH-approved full facepiece or half mask air-purifying cartridge respirator equipped with a good mist / particulate cartridge or supplied air. **Note:** Always consult the respirator manufacturer's data when determining the suitability of respiratory protective devices prior to use.

EYES: Wear chemical goggles (recommended by ANSI Z87.1-1979), unless a full facepiece respirator is worn. **Note:** Always consult the protective eyewear manufacturer's data when determining the suitability of protective eyewear prior to use.

GLOVES: Wear Neoprene, Nitrile, Butyl Rubber or Natural Rubber gloves. **Note:** Always consult the glove manufacturer's permeation data when determining the suitability of gloves prior to use.

CLOTHING & EQUIPMENT: Wear a Neoprene, Nitrile, Butyl Rubber or Natural Rubber apron when handling this product. An eye wash station and safety shower should be available in the work area. **Note:** Always consult the clothing/equipment manufacturer's permeation data when determining the suitability of clothing/equipment prior to use.

FOOTWEAR: Wear Neoprene, Nitrile, Butyl Rubber or Natural Rubber boots. **Note:** Always consult the footwear manufacturer's permeation data when determining the suitability of footwear prior to use.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Appearance:	Clear to slightly hazy, pale amber	Bulk Density (pounds/ft³):	Not applicable
Physical State:	Liquid	Vapor Pressure:	No data available
Odor:	Unique, characteristic	Vapor Density (air=1):	No data available
Odor Threshold:	No data available	Evaporation Rate (n-Butyl Acetate=1):	No data available
Molecular Formula:	Mixture	VOC Content / Organic Matter:	No data available / 0.1%
Molecular Weight:	Not applicable	% Volatile:	No data available
Boiling Point:	Greater than 100° C. (212° F.)	Solubility in H₂O:	Soluble
Freezing/Melting Point:	Less than 0° C. (32° F.)	Octanol/Water Partition Coefficient:	No data available
Specific Gravity:	1.20 – 1.30 @ 20° C.	pH (as is):	0.5 - 1.5
Density (pounds/gallon):	Approximately 10.35	pH (1% solution):	No data available

SECTION 10: STABILITY AND REACTIVITY

GENERAL: This product is stable and hazardous polymerization will not occur.

CONDITIONS TO AVOID: Do not store this product below 50° F (10° C) or above 90° F (30° C)

INCOMPATIBLE MATERIAL: Oxidizers, caustics & strong alkali, cyanides, sulfides, sulfites, chlorine releasers, Aluminum, Magnesium, Zinc and alloys of these metals.

HAZARDOUS DECOMPOSITION PRODUCTS: When heated to dryness and decomposition, it emits toxic Ammonia gas, with toxic oxides of nitrogen and sulfur plus trace or ultra-trace toxic oxide amounts of potassium, phosphorus, iron, manganese, magnesium, calcium, zinc and sodium.

SENSITIVITY TO MECHANICAL IMPACT: This product is not sensitive to mechanical impact.

SENSITIVITY TO STATIC DISCHARGE: This product is not sensitive to static discharge.

SECTION 11: TOXICOLOGICAL INFORMATION

Components:	<u>Ammonium Sulfate</u>	<u>Ammonium Hydrogen Sulfate</u>
Eye Contact:	No data available	No data available
Skin Contact:	No data available	No data available
Oral Rat LD₅₀:	2,840 mg/kg	No data available
Dermal Rabbit LD₅₀:	No data available	No data available
Inhalation Rat LC₅₀:	No data available	No data available
Human Data:	Oral Man TD _{Lo} : 1,500 mg/kg (Gastrointestinal effects)	No data available
Other Toxicological Data:	Intraperitoneal Mouse LD ₅₀ : 610 mg/kg	No data available
Carcinogenicity:	No data available	No data available
Teratogenicity:	No data available	No data available
Mutagenicity:	No data available	No data available
Synergistic Products:	None reported	None reported
Target Organs:	Eyes, Skin, Mucous membranes, Lungs & Central Nervous System	Eyes, Skin, Mucous membranes, Lungs & Central Nervous System
Medical Conditions Aggravated By Exposure:	Skin or Respiratory disorders	Skin or Respiratory disorders

SECTION 12: ECOLOGICAL INFORMATION

ENVIRONMENTAL FATE:

This product is soluble in water and may significantly affect the pH of water. No specific environmental fate data is available.

ENVIRONMENTAL CONSIDERATIONS:

The aquatic toxicity for this product has not been determined.

SECTION 13: DISPOSAL CONSIDERATIONS

RCRA 40 CFR 261 CLASSIFICATION: Non-RCRA Hazardous Waste (United States)

U.S. EPA WASTE NUMBER/DESCRIPTION: Not Applicable

If this product is disposed of as shipped, it does not meet the criteria of a hazardous waste as defined under 40 CFR 261, in that it does not exhibit the characteristics of a hazardous waste of Subpart C, nor is it listed as a hazardous waste under Subpart D due to toxicity. As a non-RCRA hazardous liquid waste, it should be disposed of in accordance with all local, state, and federal regulations. Consult state or local officials for proper disposal method.

SECTION 14: TRANSPORTATION INFORMATION

DOT PROPER SHIPPING NAME: Corrosive Liquid, n.o.s. (contains sulfuric acid)
Hazard Class: 8 **UN Number:** UN1760 **Packing Group:** III
Primary Label: Corrosive **Subsidiary Label(s):** None Required
Primary/Subsidiary Placards: Corrosive

DOT Reportable Quantity (RQ): Not Listed **RQ for Product:** Not Applicable
Marine Pollutant: No

2012 North American Emergency Response Guidebook No.: 154

TDG PROPER SHIPPING NAME: Corrosive Liquid, n.o.s. (contains sulfuric acid)
Hazard Class: 8 **UN Number:** UN1760 **Packing Group:** III
Primary Label: Corrosive **Subsidiary Label(s):** None Required
Primary/Subsidiary Placards: Corrosive

TDG Reportable Quantity (RQ): * At least 5kg or 5 liters
TDG Schedule XII: Not listed
Regulated Limit (RL): ** Not Listed **RL for Product:** Not Applicable
Other Shipping Information: None

* Canadian Transportation of Dangerous Goods Regulations (TDGR), Part IX, Table I, Quantities or levels for Immediate Reporting: releases of reportable quantities, RQ, that meet the definition of a "dangerous occurrence" (a threat to life, health, property, or the environment) must be reported to the appropriate authorities as outlined in TDGR 9.13(1) and 9.14(1). ** Reporting to Environment Canada is required for any releases exceeding the regulated limits, RL, of 9.2 materials (primary or secondary). The regulated limits are found in Schedule XIII of the TDGR.

SECTION 15: REGULATORY INFORMATION

COMPONENTS:	<u>Ammonium Sulfate</u>	<u>Ammonium Hydrogen Sulfate</u>
<u>OSHA Target Organs:</u>	Eyes, Skin, Mucous membranes, Lungs & Central Nervous System	Eyes, Skin, Mucous membranes, Lungs & Central Nervous System
<u>Carcinogenic Potential:</u>		
Regulated by OSHA:	No	No
Listed on NTP Report:	No	No
Listed by IARC:	No	No
IARC Group:	Not applicable	Not applicable
ACGIH Appendix A:	Not listed	Not listed
A1 Confirmed Human:	Not applicable	Not applicable
A2 Suspected Human:	Not applicable	Not applicable

U.S. EPA Requirements

Release Reporting

CERCLA (40 CFR 302)

Listed Substance:	Not listed	Not listed
Reportable Quantity:	Not applicable	Not applicable
Category:	Not applicable	Not applicable
RCRA Waste No.:	Not applicable	Not applicable
Unlisted Substance:	Not applicable	Yes
Reportable Quantity:	Not applicable	100 pounds
Characteristic:	Not applicable	Corrosivity
RCRA Waste No.:	Not applicable	Not listed

