

SURF-MAX®

SOIL SURFACTANT FOR AGRICULTURAL CROPS

Dipropylene Glycol Methyl Ether 2.25%
 Inert Ingredients 97.75%

Derived from: Dipropylene Glycol Methyl Ether

DIRECTIONS FOR USE

- Shake well before use.
- Designed to be applied by soil application to light sandy or sandy loam soils.
- SURF-MAX® should be applied initially at preplant or at planting followed by smaller, monthly applications throughout the crop season (see method of application table)
- Can be applied via irrigation systems in combination with compatible plant growth regulators, pesticides, or other liquid nutrients.
- If compatibility is in question, jar test a small quantity.
- After adding SURF-MAX® to solutions, apply immediately to the soil.
- For maximum results, immediately incorporate liquids into the soil with proper irrigation.
- Application timing, intervals and rates may vary according to individual crop requirement, stage of development, available moisture levels in the soil, and overall moisture status of the crop.
- Applications can be made as often as every 15 to 20 days as needed.
- Consult your local HUMA GRO® Representative or other agricultural specialist for crop-specific recommendations.
- Do not store this product below 50°F (10°C) or above 90°F (30°C).

STORAGE AND DISPOSAL:

Keep product in original container. Do not transfer into food or drink containers. Triple rinse container when empty for recycling. Always dispose of container in accordance with local, state and/or federal regulations.

METHOD OF APPLICATION

INITIAL RATE SUSTAINABLE RATE

General application to soil through drip, center pivot, boom sprayer, or drench

16–32 ounces per acre at pre-planting or soon after planting
 8–12 ounces per acre monthly applications throughout the crop season.

Liquid fertilizer solutions, pesticide mixes (soil-applied)

Equivalent 16 ounces per acre
 8–12 ounces per acre

CONDITIONS OF SALE:

The information contained on this label is believed to be accurate and reliable. Buyer and user acknowledge and assume all liability resulting from the use of this material. Follow directions carefully. Timing, method of application, weather, crop conditions and other factors are beyond the control of the seller.

KEEP OUT OF REACH OF CHILDREN

Information regarding the contents and levels of metals in this product is available on the internet at <http://www.aapfco.org/metals.html>

A hazy, light brown liquid having no characteristic odor. The liquid and mists can be irritating to the eyes and possibly the skin. Inhalation of mists may be irritating to the entire respiratory tract. Ingestion of this product may cause gastrointestinal irritation, with cardiovascular and central nervous system effects.

CLASSIFICATION: MILD SKIN IRRITATION – HAZARD CATEGORY 3

SIGNAL WORD: WARNING

HAZARD STATEMENT: H316 - WARNING - causes mild skin irritation.

PRECAUTIONARY STATEMENT: P332+P313 If skin irritation occurs, get medical attention/advice.

9.07 lb per gallon @ 68° F.
 1.00 kg per liter @ 20° C.
 pH 4.0 - 5.0

2.5 gallons • Net Wt. 22.68 lb
 9.46 liters • Net Wt. 9.46 kg
 LOT# 12345678



*Registered Trademarks of and Produced by

BIO HUMA NETICS, INC. © 2005-2020

1331 W. Houston Ave., Gilbert, AZ 85233 • 480.961.1220

www.HumaGro.com

HG-790-07292020

