

# HUMA BURST® K HUME®

## GUARANTEED ANALYSIS 0-0-3

**Potassium (K<sub>2</sub>O)** ..... **3.00%**  
**Total Humic Acid (HA) and Fulvic Acid (FA)** ..... **60.00%-70.00%**  
 (Analysis using the Colorimetric Test Method)

**Derived from:** Oxidized Leonardite

### Other Test Methods:

**Total Humic Acids (HA)** ..... **40.00%-45.00%**  
 (Analysis using the HPTA or ISO 19822 Test Method)

**Total Humic Acids (HA)** ..... **35.00%-40.00%**  
 (Analysis using the CDFA Test Method)

## DIRECTIONS FOR USE

- Designed to be applied to the soil.
- HUMA BURST® K HUME® adds naturally occurring materials containing humic acids to soil that may enhance plant micronutrient availability and uptake and should be applied when soil analysis identifies the need and proper rate of application for this product.
- Best results will be obtained when application is concentrated in the active root zone or when applied directly to the soil followed by a shallow cultivation.
- Can be applied in combination with compatible plant growth regulators, pesticides, or other granular fertilizers.
- Apply HUMA BURST® K HUME® by broadcast whether through air or ground machine.
- HUMA BURST® K HUME® can be applied to all soil types for ornamentals, lawns, gardens and landscapes.
- Avoid spreading during high humidity, or mixing with high moisture fertilizers such as urea.
- Application timing, intervals and rates may vary according to individual crop requirement, stage of development, available nutrient levels in the soil, and overall nutritional status of the crop.
- Applications can be made as often as every 30 days as needed.
- Soil moisture is required for maximum bioactivity. If soil is dry, moisture should be provided by irrigation.
- Consult your local HUMA GRO® representative or other agricultural specialist for crop-specific recommendations.

**This product is intended as a supplement to a regular fertilization program and will not, by itself, provide all the nutrients normally required by agricultural crops.**

Another great product from:



## METHOD OF APPLICATION

## SUGGESTED RATE

	Field Crops	Tree or Vine Crops
Soil banded or side dressed	Up to 75 lb/acre, 75 kg/hectare	Up to 150 lb/acre, 150 kg/hectare
Soil broadcast incorporated	Up to 150 lb/acre, 150 kg/hectare	Up to 300 lb/acre, 300 kg/hectare

### STORAGE AND DISPOSAL:

Keep product in original bag. Do not transfer into food or drink containers. Always dispose of bag in accordance with local, state and/or federal regulations.

### CONDITIONS OF SALE:

The information contained on this label is believed to be accurate and reliable. Buyer and user acknowledge and assume all liability resulting from the use of this material. Follow directions carefully. Timing, method of application, weather, crop conditions and other factors are beyond the control of the seller.

### KEEP OUT OF REACH OF CHILDREN

A dark reddish brown to black particles/dust having no odor. Ingestion of this product may cause gastrointestinal irritation or pain.

**Net Wt. 50 lb**  
**Net Wt. 22.68 kg**



†Registered Trademarks of and Produced by  
**BIO HUMA NETICS, INC.** © 2018-2021

1331 W. Houston Ave., Gilbert, AZ 85233 • 480.961.1220

[www.HumaGro.com](http://www.HumaGro.com)

HG-649-05112021

